

病名: 乳癌

レジメン名: 毎週パクリタキセル療法

1コース期間(休薬期間含む) 日

薬剤名/ルート・用法	基準投与量	割合	1/1	1/2	1/3	1/4	1/5	1/6	1/7	1/8	1/9	1/10	1/11	1/12	1/13	1/14	1/15	1/16	1/17	1/18	1/19	1/20	1/21
			火	水	木	金	土	日	月	火	水	木	金	土	日	月	火	水	木	金	土	日	月
			day1	day2~day7							day8	day9~day14							day15	day16~day21			
注射																							
生理食塩液[ヒカリ]50mL	1 V																						
ファモチジン注射液 20mg	1 A																						
デキサート注射液6.5mg 2mL	1 V																						
ポラミン注 5mg 1mL	2 A																						
末梢点滴ケモ(持続)	00:05		未適用																				
ブドウ糖注 5% 250mL	1 V																						
●パクリタキセル注30mg	80 mg/m ²	100																					
末梢点滴ケモ CSTD(側管)	00:10		未適用																				
生理食塩液[ヒカリ]50mL	1 V																						
末梢点滴ケモ(持続)	00:15		未適用																				
生理食塩液[ヒカリ]50mL	1 V																						
ファモチジン注射液 20mg	1 A																						
デキサート注 ★3.3mg 1mL	1 A																						
ポラミン注 5mg 1mL	2 A																						
末梢点滴ケモ(持続)	00:05									未適用													
ブドウ糖注 5% 250mL	1 V																						
●パクリタキセル注30mg	80 mg/m ²	100																					
末梢点滴ケモ CSTD(側管)	00:10									未適用													
生理食塩液[ヒカリ]50mL	1 V																						
末梢点滴ケモ(持続)	00:15									未適用													
生理食塩液[ヒカリ]50mL	1 V																						
ファモチジン注射液 20mg	1 A																						
デキサート注 ☆1.65mg 0.5mL	1 A																						
ポラミン注 5mg 1mL	2 A																						
末梢点滴ケモ(持続)	00:05																				未適用		
ブドウ糖注 5% 250mL	1 V																						
●パクリタキセル注30mg	80 mg/m ²	100																					
末梢点滴ケモ CSTD(側管)	00:10																				未適用		
生理食塩液[ヒカリ]50mL	1 V																						
末梢点滴ケモ(持続)	00:15																				未適用		